

玖拾加

90,90後的家



mocha

摩卡 Glazed Porcelain Tiles



griffiths 格立菲斯

廣東省佛山市禪城區鹽西西路60號
歐洲工業園二座三層自編之C區

C Area, Level 3, Building 2, European Industrial Park,
No. 60, West Langbao Road, Foshan City,
Guangdong Province, P.R. China

T: +86-757-82521576 E: griffiths@griffiths.com
F: +86-757-82521859 W: www.ninetyplus.com.cn

90 玖拾加
NINETY PLUS

All colours

所有顏色



灰白
SA01



米黃
SA03



中灰
SA05



深灰
SA09

All size/All surface

所有規格及所有表面效果




Candy

糖果半拋面/450x900mm



Anti slip

幹粒防滑面/600x1200mm



糖果半拋面/600x600mm



Dry grain

通體幹粒防滑面/600x600mm



通體幹粒防滑面/300x600mm



IN & OUT

室內&室外

Mocha Series use sandstone texture, further enlarging the serviceable range by different 3D techniques. It creates a natural atmosphere of coziness when used in outdoor area, garden, balcony and so on.

摩卡系列採用砂岩的質感，用不同的立體手法，將使用領域進一步擴大；在戶外家園、花園、露臺等的使用，更能體現大自然的舒適和情調。



Dry grain surface 幹粒防滑面

The touch of sands with slip resistance, as well as the natural rough texture, offer safety protection when you enjoy yourself.

砂粒的觸感，配合防滑功能，天然的粗糙感觀，讓你在忘情時得到安全保護。

Dry grain anti-slip surface

Ⓐ 通體幹粒防滑面

Inside equals outside is always our creed, so do our products.


一直以來，表裏如一是我們做人做事的宗旨；此刻，磚如其人。

Candy lappato surface

Ⓑ 糖果半拋面

The product combines the twinkling candy glaze and semi-polished surface, creating a smooth touch feeling and luxury vision experience.

採用糖果細膩閃亮的質感與半拋面相結合，達到細膩的手感，高貴的視覺感受。



DRY GRAIN SURFACE
OFFERS A FINE AND DELICATE
FEELING LIKE BEACH WALK

防滑幹粒面
宛如踩在沙灘上的細膩觸感



Floor/地面: 612SA01C
600x1200mm

DRY GRAIN
ANTI-SLIP SURFACE
THE IMPRESSION LEFT
IN THE SKIN
AS WAVES TOUCHING THE BEACH




通體幹粒防滑面
海水拍打沙灘的痕迹，印刻在肌理中



Floor/地面: 60SA03RD
600x600mm




Wall/牆面: 612SA03RD
600x1200mm
Floor/地面: 612SA03RD
600x1200mm



DRY GRAIN SURFACE
TAKE THE BEACH
TO YOUR HOME
WITH SEA BREEZE BLOWING




防滑幹粒面
海風吹拂，讓沙灘直接搬回家



Wall/牆面: 36SA05C+36SA05RDT
300x600mm

CANDY LAPPATO SURFACE
INDOOR OR OUTDOOR
THE DRY GRAIN TEXTURE
PLEASURES YOUR EYES AND MIND



糖果釉面
幹粒防滑質感，戶外室內都賞心悅目



Floor/地面: 60SA09C
600x600mm



Wall/墙面: 612SA09RD
600x1200mm



COLOURS 顏色



60SA01RD (幹粒防滑面/Anti-slip) 60SA03RD (幹粒防滑面/Anti-slip) 60SA05RD (幹粒防滑面/Anti-slip) 60SA09RD (幹粒防滑面/Anti-slip)
 60SA01RDT (通體幹粒防滑面/Dry grain) 60SA03RDT (通體幹粒防滑面/Dry grain) 60SA05RDT (通體幹粒防滑面/Dry grain) 60SA09RDT (通體幹粒防滑面/Dry grain)
 60SA01C (糖果半拋面/Candy) 60SA03C (糖果半拋面/Candy) 60SA05C (糖果半拋面/Candy) 60SA09C (糖果半拋面/Candy)

FACES 多面




60SA01
600x600mm





612SA03
600x1200mm

MOSAIC 馬賽克



AVAILABLE SIZES 可用尺寸



TECHNICAL SPECIFICATION 技術標準

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 標準規定值	90° VALUES 玖拾加標準值(600x600mm)	90° VALUES 玖拾加標準值(600x1200mm)
Dimensions & Surface Quality			
Length and Width 長度和寬度	±0.6% max.	-0.03-0.03%	-0.03-0.03%
Thickness 厚度	±5% max.	9.0-9.5mm	11.0-11.5mm
90° Orthogonality 直角度	±0.5% max.	-0.06-0.07%	-0.06-0.07%
Straightness of sides 邊直度	±0.5% max.	-0.06-0.07%	-0.02-0.03%
Surfaces flatness 表面平整度	±0.5% max.	-0.05-0.07%	-0.09-0.11%
Physical Properties			
Water absorption 吸水率	≤0.5%	≤0.5%	≤0.5%
Breaking strength 斷裂強度	≥1300N	2265N	4031N
Bending resistance 抗彎曲性	≥35N/mm ²	38N/mm ²	40N/mm ²
Resistance to deep abrasion 耐磨程度	≤175mm ³	Class 4	Class4
Temperature shock resistance 耐高低溫系數	No visible crack 沒有明顯裂紋	No visible crack 沒有明顯裂紋	Durable 耐溫性好
Resistance to frost 防凍性能	No visible crack 沒有明顯裂紋	No visible crack 沒有明顯裂紋	No visible crack 沒有明顯裂紋
Non-slip 防滑系數	R9-R13	R10	R10
Colour resistance to light 顏色耐光性	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties			
Chemical resistance 耐化學性	no visible changes when subjected to chemicals 遇化學物質不受影響	Durable 耐化學性能好	Durable 耐化學性能好
Resistance to staining 抗染色	≥3	Class 5 5級	Class 5 5級

PACKING DETAILS 包裝細節

SIZES 尺寸	SURFACE 表面效果			PCS/CTN 片/箱	M ² /CTN 平方/箱	KG/CTN 千克/箱
600x600mm	✓	✓	✓	4	1.44	31.5
300x600mm	✓	✓	✓	8	1.44	31.5
300x300mm	✓	✓	✓	16	1.44	31.5
900x900mm	✓	✓	✓	2	1.62	42
450x900mm	✓	✓	✓	4	1.62	44
600x1200mm	✓	✓	✓	2	1.44	43